
Preventive Care Covered with No Cost Sharing



Checkups, screenings, vaccines, prenatal care, contraceptives and more with no out-of-pocket costs



Good news! Your health benefits cover the services listed here with no cost to you¹ as part of your preventive care.

This includes routine screenings and checkups. It also includes counseling to prevent illness, disease or other health problems.

Many of these services are covered as part of physical exams, including regular checkups, and routine gynecological and well-child exams.

You won't have to pay out-of-pocket for these preventive visits when you visit a doctor in your provider network. But these services are generally not preventive if you get them as part of a visit to diagnose, monitor or treat an illness or injury. Then copays, coinsurance and deductibles may apply.

Meritain Health® follows the recommendations of national medical societies about how often children, men and women need these services. Be sure to talk with your doctor about which services are right for your age, gender and health.

¹Employers with grandfathered plans may choose not to cover some of these preventive services, or to include cost share (deductible, copay or coinsurance) for preventive care services. Certain religious employers and organizations may choose not to cover contraceptive services as part of the group health coverage.

PREVENTIVE CARE FOR ADULTS

Covered preventive services for adults generally include the following:

Screenings

- Abdominal aortic aneurysm (one-time screening for men of specified ages who have ever smoked)
- Alcohol misuse
- High blood pressure screening
- Cholesterol (for adults of certain ages or at high risk)
- Colorectal cancer (for adults over 50)
- Depression
- Type 2 diabetes (for adults with high blood pressure)
- Human immunodeficiency virus (HIV)
- Hepatitis B surface antigen (effective 1/1/2019)
- Lung cancer (for adults age 55 and over with history of smoking)
- Prostate cancer (for men ages 40 and older)
- Body Mass Index (BMI) screening for obesity
- Syphilis (for all adults at higher risk)
- Tobacco use

Medications and supplements

- Aspirin up to 81 mg for women up to the age of 45 at risk of preeclampsia and up to 81 mg for men and women from age 50 to 69 with certain cardiovascular risk factors.
- Tobacco cessation medications approved by the U.S. Food and Drug Administration (FDA), including over-the-counter medications when prescribed by a healthcare provider and filled at a participating pharmacy
- Bowel preparation medication (for preventive colorectal cancer screening)
- Low dosage statins: simvastatin 10 mg and atorvastatin 5 mg/10 mg. Covered for members from age 40 to 75 with no history of cardiovascular disease (CVD), one or more CVD risk factors and a calculated ten-year CVD event risk of 10 percent or greater

Counseling services

- Alcohol misuse
- Diet (for adults with hyperlipidemia and other known risk factors for cardiovascular and diet-related chronic disease)
- Obesity
- Domestic violence
- Sexually Transmitted Infection (STI) prevention (for adults at higher risk)
- Tobacco use (including programs to help you stop using tobacco)

Immunizations

Doses, recommended ages, and recommended populations vary.

- Diphtheria, Pertussis, Tetanus (DPT)
- Hepatitis A and B
- Herpes zoster
- Human Papillomavirus (HPV)
- Influenza
- Measles, Mumps, Rubella (MMR)
- Meningococcal (meningitis)
- Pneumococcal (pneumonia)
- Varicella (chicken pox)

PREVENTIVE CARE FOR WOMEN

Covered preventive services for women include the following:

Screenings and counseling services

- BRCA (counseling and genetic testing for women of high risk with no personal history of breast and/or ovarian cancer)
- Breast cancer chemoprevention (for women at higher risk)
- Breast cancer (mammography every one to two years for women over 40)
- Cervical cancer (for sexually active women)
- Chlamydia infection (for younger women and other women at higher risk)
- Gonorrhea (for all women at higher risk)
- Interpersonal or domestic violence
- Osteoporosis (for women over age 60 depending on risk factors)
- Latent Tuberculosis Infection
- Preeclampsia screening beginning with the first plan year on or after April 25, 2018

Medications and supplements

- Folic acid supplements (for women of child-bearing ages)
- Risk-reducing medications such as tamoxifen and raloxifene, for women age 35 and older at increased risk for breast cancer

Contraceptive products and services

- Prescribed FDA-approved female over-the-counter or generic contraceptives² when filled at an in-network pharmacy
- Two visits a year for patient education and counseling on contraceptives
- Voluntary sterilization services

PREVENTIVE CARE FOR PREGNANT WOMEN

Covered preventive services for pregnant women

- Routine prenatal visits (you pay your normal cost share for delivery, postpartum care, ultrasounds or other maternity procedures, specialist visits and certain lab tests)
- Anemia screenings
- Diabetes screenings
- Bacteriuria urinary tract or other infection screenings
- Rh incompatibility screening, with follow-up testing for women at higher risk
- Hepatitis B counseling (at the first prenatal visit)
- Expanded counseling on tobacco use
- Maternal depression screening
- Breastfeeding interventions to support and promote breastfeeding after delivery, including up to six visits with a lactation consultant

Covered preventive supplies for pregnant women

- Certain standard electric breastfeeding pumps (non-hospital grade) any time during pregnancy, or while you are breastfeeding once every three years
- Manual breast pump any time during pregnancy, or after delivery for the duration of breastfeeding
- Breast pump supplies if you get pregnant again before you are eligible for a new pump

² Brand-name contraceptive drugs, methods or devices only covered with no member cost-sharing under certain limited circumstances when required by your doctor due to medical necessity.

PREVENTIVE CARE FOR CHILDREN

Covered preventive services for children include the following:

Screenings and assessments

- Alcohol and drug use (for adolescents)
- Autism (for children at 18 and 24 months)
- Behavioral/psychosocial issues
- Congenital hypothyroidism (for newborns)
- Depression
- Developmental screening (for children under age three, and surveillance throughout childhood)
- Hearing (for all newborns and adolescents)
- Height, weight and body mass index measurements
- Lipid disorders (dyslipidemia screening for children at higher risk)
- Hematocrit or hemoglobin
- Hemoglobinopathies or sickle cell (for newborns)
- HIV (for adolescents at higher risk)
- Lead (for children at risk of exposure)
- Medical history
- Body Mass Index (BMI) screening for obesity
- Oral health (risk assessment for young children)
- Phenylketonuria (PKU) (newborns)
- Sexually transmitted infections (STIs)
- Tuberculin testing (for children at higher risk of tuberculosis)
- Vision

Counseling services

- Obesity
- Sexually Transmitted Infection (STI) prevention (for adolescents at higher risk)

Medications and supplements

- Gonorrhea preventive medication for the eyes of all newborns
- Oral fluoride for children six months to age 16: prescription supplements for children without fluoride in their water source
- Fluoride varnish for children starting at the age the child's first baby tooth has come in through 11 years of age

Immunizations

From birth to age 18—doses, recommended ages and recommended populations vary.

- Diphtheria, Pertussis, Tetanus (DPT)
- Haemophilus influenzae type b
- Hepatitis A and B
- Human papillomavirus
- Inactivated poliovirus
- Influenza
- Measles, Mumps, Rubella (MMR)
- Meningococcal (meningitis)
- Pneumococcal (pneumonia)
- Rotavirus
- Varicella (chicken pox)

Questions? Contact Meritain Health Customer Service at the number listed on your ID Card.

This material is for information only. Health benefits plans contain exclusions and limitations. Not all health services are covered. See plan documents for a complete description of benefits, exclusions, limitations and conditions of coverage. Information is believed to be accurate as of the production date; however, it is subject to change.

